

CONFIRMATION

BREEAM-International (2021)

MOOD/SILK Wall, MOOD/SILK Spaces, MOOD/SILK Flow and MOOD/SILK Curve

supplied by
Lintex AB

RISE Research Institutes of Sweden AB received from Lintex AB a product sample which is representative of the manufactured product. It has been tested in accordance with relevant test method (M1 Emission Classification of Building Materials: Protocol for Chemical and Sensory Testing of Building Materials”, ver 15.11.2017), see test report **O100152-1181696-3**, dated **2023-04-21**. The products MOOD/SILK Wall, MOOD/SILK Spaces, MOOD/SILK Flow and MOOD/SILK Curve are all judged to emit less than or equal to the tested product.

The test results of the tested product prove that the product qualifies for **BREEAM International (2021, ver 6.0) requirements in Hea 02:**

• **Exemplary level emission criteria**

Formaldehyde, TVOC, TSVOC and carcinogenic emissions are within the requirements:

	Formaldehyde (mg/m ³)	TVOC (mg/m ³)	TSVOC (mg/m ³)	Carc. Cat 1A&1B (mg/m ³)
Exemplary level emission criteria	≤ 0.01	≤ 0.3	≤ 0.1	≤ 0.001
Test results	0.001	< 0.005	< 0.001	< 0.001

RISE Research Institutes of Sweden AB
Chemistry and Applied Mechanics- Chemical Product Safety

Maria Rådemar

RISE Research Institutes of Sweden AB

Postal address

Box 857
SE-501 15 BORÅS
Sweden

Office location

Brinellgatan 4
SE-504 62 BORÅS

Phone / Fax / E-mail

+46 10 516 50 00
+46 33 13 55 02
info@ri.se

This document may not be reproduced other than in full,
except with the prior written approval of RISE.

Verification

Transaction 09222115557506387987

Document

1232410-1 Mood, Silk BREEAM-Int2021

Main document

1 page

Initiated on 2023-12-08 09:56:43 CET (+0100) by Maria Rådemar (MR)

Finalised on 2023-12-08 09:56:44 CET (+0100)

Signatories

Maria Rådemar (MR)

RISE Research Institutes of Sweden AB

Company reg. no. 556464-6874

maria.rademar@ri.se

Signed 2023-12-08 09:56:44 CET (+0100)

This verification was issued by Scrive. Information in italics has been safely verified by Scrive. For more information/evidence about this document see the concealed attachments. Use a PDF-reader such as Adobe Reader that can show concealed attachments to view the attachments. Please observe that if the document is printed, the integrity of such printed copy cannot be verified as per the below and that a basic print-out lacks the contents of the concealed attachments. The digital signature (electronic seal) ensures that the integrity of this document, including the concealed attachments, can be proven mathematically and independently of Scrive. For your convenience Scrive also provides a service that enables you to automatically verify the document's integrity at: <https://scrive.com/verify>

